

L Number	Hits	Search Text	DB	Time stamp
4	0	discover\$ with topolog\$ with automat\$ and hop near count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:12
5	0	discover\$ with topolog\$ with automat\$ and hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:12
6	27	discover\$ with topolog\$ and hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:50
7	23	370/\$ and discover\$ with topolog\$ and hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:48
8	1	discover\$ with topolog\$ and packet\$ same \$3node\$ same switch\$ and hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:51
10	42	370/\$ and packet\$ same \$3node\$ same switch\$ and hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:52
9	43	packet\$ same \$3node\$ same switch\$ and hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:59
11	102	packet\$ same hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:59
12	87	packet\$ with hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:59
13	19	packet\$ same \$3node\$ same switch\$ and packet with hop near2 count with (max maximum threshold limit) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:59

-	648	709/242 and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:00
-	0	709/242 and switch and endnode and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:11
-	1	09/760661	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:00
-	31	709/242 and switch and end near node and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:04
-	22	709/242 and switch and end adj node and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:05
-	10	709/242 and switch same end adj node and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:06
-	10	709/242 and switch and (end adj node router) and packet near3 (issue reissue) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:07
-	24	709/242 and switch and (end adj node router) and packet near3 (issue reissue return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:07
-	17	709/242 and switch same (end adj node router) and packet near3 (issue reissue return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:09
-	1	709/242 and switch same (end adj node router) and packet near3 ((issue reissue) and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:09
-	2	709/242 and switch and (end adj node router) and packet near3 ((issue reissue) and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:10

-	50	switch and (end adj node router) and packet near3 ((issue reissue) and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:11
-	24	709/\$ and switch and (end adj node router) and packet near3 ((issue reissue) and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:11
-	0	switch same (end adj node router) same packet near3 ((issue reissue) and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:11
-	1	switch same (end adj node router) same packet with ((issue reissue) and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:12
-	0	switch and (end adj node router) and packet near3 (issue and reissue and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:13
-	3	709/\$ and packet near3 (issue and reissue and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:14
-	4	370/\$ and packet near3 (issue and reissue and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:15
-	6	packet near3 (issue and reissue and return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:37
-	0	packet near3 (issue and reissue and return) with switch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:37
-	12	packet near3 ((issue reissue) and return) with switch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:40
-	5	packet near3 (issue reissue) with switch and return with (response reply) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:43

-	1	709/242 and switch and node and (packet with switch) and path and return near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:45
-	12	709/238 and switch and node and (packet with switch) and path and return near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:50
-	27	709/238 and switch and node and (packet with (switch node)) and path and return near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:51
-	5	709/242 and switch and node and (packet with (switch node)) and path and return near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:51
-	0	709/242 and switch and node and ((\$issu\$3) with packet with (switch node)) same path and return near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:52
-	0	709/242 and ((\$2issu\$3) with packet with (switch node)) same path and return near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:52
-	1	709/242 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:53
-	1	709/242 and ((\$2issu\$3) with packet with (switch node)) same path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:53
-	6	709/238 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:55
-	16	709/\$ and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:58
-	2	370/351-356.ccls. and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:58

-	3	370/351 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
-	2	370/352 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
-	0	370/353 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
-	1	370/354 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
-	1	370/355 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
-	0	370/356 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 10:59
-	12	370/389 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:00
-	3	370/390 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:00
-	6	370/392 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:00
-	8	370/400 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:01
-	0	370/902 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:01

-	2	370/218 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:01
-	3	370/230 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:01
-	4	370/254 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:01
-	2	370/255 and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:02
-	31	370/\$ and \$2issu\$3 with packet with (switch node) with path and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:05
-	213	370/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path and (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:06
-	24	370/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:14
-	0	716/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:14
-	9	709/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:14
-	2	710/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:15
-	4	379/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:16

-	1	398/\$ and (\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 11:15
-	28	(\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:39
-	1	(\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:41
-	7	(\$2issu\$3 \$2rout\$3) with (data packet) with (switch node) with path same (return response reply) near packet and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:45
-	55	rout\$ with discover\$ with topology and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:46
-	41	370/\$ and rout\$ with discover\$ with topology and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:46
-	4	370/\$ and rout\$ with discover\$ with topology same packet same (node switch) same (respons\$ reply return) and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:48
-	3	709/\$ and rout\$ with discover\$ with topology same packet same (node switch) same (respons\$ reply return) and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:48
-	3	709/\$ and rout\$ with discover\$ same topology same packet same (node switch) same (respons\$ reply return) and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:49
-	4	370/\$ and rout\$ with discover\$ same topology same packet same (node switch) same (respons\$ reply return) and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:49
-	4	rout\$ with discover\$ same topology same packet same (node switch) same (respons\$ reply return) and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:49

-	4	<p> rout\$ with discover\$ same topology same packet same  (node switch) same broadcast and (respons\$ reply  return) and (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:51
-	18	<p> rout\$ with discover\$ same packet same (node switch)  same broadcast and (respons\$ reply return) and  (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:23
-	4	<p> rout\$ with discover\$ same packet same (node switch)  same broadcast same (respons\$ reply return) and  (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:52
-	22	<p> rout\$ with discover\$ same packet same (node switch)  same (respons\$ reply return) and (@ad&lt;20010117  @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:52
-	24	<p> rout\$ with discover\$ same packet same (node switch)  same (response respond reply return) and  (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:53
-	6	<p> rout\$ with discover\$ same packet same (node switch)  same broadcast\$3 same (response respond reply return)  and (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:53
-	7	<p> rout\$ with discover\$ same packet same (node switch\$3)  same broadcast\$3 same (respon\$3 reply return) and  (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 15:54
-	0	<p> rout\$ with discover\$ same packet same (node switch)  same broadcast same batch and (respons\$ reply return)  and (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:24
-	0	<p> (rout\$ issu\$) with discover\$ same packet same (node  switch) same broadcast same batch and (respons\$ reply  return) and (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:24
-	0	<p> (rout\$ issu\$) with packet same (node switch) same  broadcast same batch and (respons\$ reply return) and  (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:25
-	21	<p> (rout\$ issu\$) with packet with (node switch) same  broadcast and batch and (respons\$ reply return) and  (@ad&lt;20010117 @rlad&lt;20010117) </p>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:27



-	0	(rout\$ issu\$) same packet same (node switch) same broadcast same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:27
-	56	(rout\$ issu\$) same packet same (node switch) and broadcast same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:28
-	53	(rout\$ issu\$) with packet with (node switch) and broadcast same batch and (respons\$ reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:28
-	29	709/\$ and (rout\$ issu\$) with packet with (node switch) and broadcast same batch and (respons\$ reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:29
-	31	370/\$ and (rout\$ issu\$) with packet with (node switch) and broadcast same batch and (respons\$ reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:31
-	34	switch same node same packet and (job batch) near request and (respons\$ reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:34
-	34	switch same node same packet and (job batch) near request and (response respond reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:34
-	0	switch same node same packet same (response respond reply return) and (job batch) near request and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:34
-	30	switch same node same packet and (job batch) near request same (response respond reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:34
-	30	switch\$3 same node same packet and (job batch) near request same (response respond reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:35
-	1	switch\$3 same node same packet same (response respond reply return) and (job batch) near request and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:36

-	70	switch\$3 same node same packet same (response respond reply return) and (job batch) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:36
-	2	switch\$3 same node same packet same (response respond reply return) and (job batch) same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:37
-	0	switch\$3 same node same packet same (response respond reply return) and batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:37
-	45	switch\$3 same node same packet and (response respond reply return) and batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:37
-	45	switch\$3 same node same packet and (node switch\$3 packet) same (response respond reply return) and batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:38
-	11	switch\$3 same node same packet and (node switch\$3 packet) same (response respond reply return) and (node switch\$3 packet) same batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:39
-	2	709/\$ and switch\$3 same node same packet and (node switch\$3 packet) same (response respond reply return) and (node switch\$3 packet) same batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:40
-	3	370/\$ and switch\$3 same node same packet and (node switch\$3 packet) same (response respond reply return) and (node switch\$3 packet) same batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:40
-	3	709/\$ and (node switch\$3 packet) same (response respond reply return) and (node switch\$3 packet) same batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:41
-	22	370/\$ and (node switch\$3 packet) same (response respond reply return) and (node switch\$3 packet) same batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:51
-	4	(\$3node switch\$3 packet) same (response respond repl\$3 return) same batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:55

-	5	(\$3node switch\$3 packet) same (response respond repl\$3 return) same batch same broadcast	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:54
-	1	(\$3node and switch\$3 and packet) same (response respond repl\$3 return) and batch same broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 10:55
-	228	709/242 and switch and \$3node and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:11
-	33	map\$4 same packet same node same switch\$3 same (respons\$ reply return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:12
-	0	map\$4 same packet same node same switch\$3 same (respons\$ reply return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:13
-	22	map\$4 same packet same node same switch\$3 same (respons\$ reply return) and broadcast and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:13
-	0	map\$4 same packet same node same switch\$3 same (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:14
-	3	map\$4 same packet same node same switch\$3 and (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:21
-	1	map\$4 same packet with node with switch\$3 and (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:21
-	0	discover\$4 same packet with node with switch\$3 and (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:22
-	15	path same packet with node with switch\$3 and (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:23

-	18	identi\$ same packet with \$3node with switch\$3 and (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:23
-	15	number same packet with \$3node with switch\$3 and (respons\$ repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:24
-	8	(number and identif\$) same packet with \$3node with switch\$3 and (respons\$2 respond repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:26
-	6	(number and identif\$) same packet with \$3node with switch\$3 same (respons\$2 respond repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:27
-	11	(number and identif\$) same \$3node and packet with \$3node with switch\$3 same (respons\$2 respond repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:28
-	12	(number and identif\$) same (\$3node switch port) and packet with \$3node with switch\$3 same (respons\$2 respond repl\$3 return) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:30
-	1	packet with \$3node with switch\$3 same (respons\$2 respond repl\$3 return) same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:31
-	2	packet with \$3node with switch\$3 same batch and (respons\$2 respond repl\$3 return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:32
-	0	packet with \$3node with switch\$2 same batch and (respons\$2 respond repl\$3 return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:32
-	0	packet with \$3node with switch same batch and (respons\$2 respond repl\$3 return) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:33
-	0	packet with \$3node with switch same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:34

-	1	packet same \$3node same switch same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:34
-	2	packet same \$3node same switch same broadcast and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:35
-	11	packet same \$3node\$ same switch\$ same broadcast\$ and batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:36
-	11	packet\$ same \$3node\$ same switch\$ same broadcast\$ and batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:45
-	0	packet\$ same \$3node\$ same switch\$ same broadcast\$ same batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:47
-	50	packet\$ same \$3node\$ same switch\$ and broadcast\$ same batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:46
-	27	370/\$ and packet\$ same \$3node\$ same switch\$ and broadcast\$ same batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:48
-	1	packet\$ same \$3node\$ same switch\$ same broadcast\$ same batch\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:47
-	11	370/\$ and packet\$ same \$3node\$ same switch\$ and broadcast\$ with batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:49
-	11	370/\$ and packet\$ same \$3node\$ same switch\$ and (broadcast\$ multicast\$) with batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:52
-	29	370/\$ and packet\$ same \$3node\$ same switch\$ and (broadcast\$ multicast\$) same batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:56

-	52	packet\$ same \$3node\$ same switch\$ and (broadcast\$ multicast\$) same batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:56
-	1	packet\$ same \$3node\$ same switch\$ same (broadcast\$ multicast\$) same batch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:57
-	0	packet\$ same \$3node\$ same switch\$ same (broadcast\$ multicast\$) same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:59
-	1	packet\$ same \$3node\$ same switch\$ same (broadcast\$ multicast\$) same batch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:58
-	31	packet\$ same \$3node\$ same switch\$ same (broadcast\$ multicast\$) and batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 13:59
-	45	packet\$ same \$3node\$ same switch\$ and (broadcast\$ multicast\$) same batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:00
-	18	packet\$ same \$3node\$ same switch\$ and (broadcast\$ multicast\$) with batch and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:04
-	40	packet\$ same \$3node\$ same switch\$ and (get set) near job and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:05
-	39	packet\$ same \$3node\$ same switch\$ and (get set) near job and (broadcast multicast) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:05
-	1	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get set) near job and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:06
-	11	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get set) near task and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:07

-	7	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get set) near task same \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:09
-	0	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get and set) near perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:12
-	0	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get and set) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:14
-	0	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get and set) with (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:15
-	1	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (get set) with (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:16
-	17	packet\$ same \$3node\$ same switch\$ same (broadcast multicast) and (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:23
-	176	packet\$ same \$3node\$ same switch\$ and (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:24
-	15	packet\$ same \$3node\$ same switch\$ and batch and (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:24
-	0	packet\$ same \$3node\$ same switch\$ same batch and (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:25
-	1	packet\$ same \$3node\$ same switch\$ and batch same (task job) with perform\$ with \$3node\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:25
-	80	discover\$ with topolog\$ with automat\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/10 12:09

-	35	discover\$ near topolog\$ with automat\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:28
-	16	discover\$ near topolog\$ with automat\$ and packet\$ same \$3node\$ same switch\$ and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:30
-	16	discover\$ near topolog\$ with automat\$ and packet\$ same \$3node\$ same switch\$ and (broadcast multicast batch) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:31
-	7	discover\$ near topolog\$ with automat\$ and packet\$ same \$3node\$ same switch\$ same (broadcast multicast batch) and (@ad<20010117 @rlad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/07 14:31